

texdecor


Acoustic and decorative solutions



ACOUSTIC
SOLUTIONS

SlimBox





Pose sur élingues / *Slings installation* / *Instalación con eslingas*



Installation



Elingues acier
Steel slings
Eslingas acero

Options



Elingues / Slings /
Eslingas :
Noir / black / negro
Blanc / White /
blanco

Pose rail en U / *U-Rail installation* / *Instalación con riel en U*



Installation

Rail + clip 2
Rail + clip 2
Riel + clip 2




Noir / black / negro



Blanc / White /
blanco

Pose rail en T (non fourni) / *T-Rail installation (not provided)* / *Instalación con riel en T (no suministrado)*



Installation




Clip 3 + crochet
Clip 3 + hook
Clip 3 + gancho

Colours*



9162 10 63



9162 02 18



9162 11 21



9162 12 01

* Option : autres coloris SlimColor disponibles / Option : other SlimColor colours available / Opción : otros colores disponibles

SlimBox baffles / baffles / baffles

4 formats
shapes
formatos



1140x280x50



1140x580x50




2360x280x50



2360x580x50

Ecoconception



Acoustic

SlimBox baffles	α_w	NRC
	0.45	0.5

Frequencies (Hz)	125	250	500	1000	2000	4000	AEQ
Absorption area (m ²) SlimBox baffles 1140x280	0,6	0,9	1,4	2	2,7	3	2.03
Absorption area (m ²) SlimBox baffles 1140x580	0,6	0,9	1,4	2	2,7	3	2.03
Absorption area (m ²) SlimBox baffles 2360x280	1,2	1,8	2,8	4	5,4	6	4.07
Absorption area (m ²) SlimBox baffles 2360x580	1,2	1,8	2,8	4	5,4	6	4.07

texdecor

Publication : Sept 2023

Texdecor, 2 rue d'Hem, 59780 Willems

Tel : + 33 (0)3 20 61 78 37 - Fax : + 33 (0)3 20 61 75 64 - www.texdecor.com



TEXSLBxBROBAF